

ELISIUM TECHNOLOGY SL
distribution@elisiumgroup.com

INFINITY LAMP



LA LÁMPARA MÁS DURADERA DEL MERCADO

LEDS DE 2A GENERACIÓN

AMATIX

MODELO

I-PLUS



AMATIX

I-PLUS

CARACTERÍSTICAS

- Input: 100V-240V 50/60Hz
- Output: DC12V 2A
- Rated power: Max 30W
- Led irradiance Power Equeivalent to 54W CCFL Lamp
- LED bulbs: 365nm+405nm 36pcs
- Timer: 10S,30S,60S,90S,120S (Low Heat)
- Certificate: FCC,CE, RoHS, UKCA
- Medidas:203x200X110mm



AMATIX

CARACTERÍSTICAS



- La lámpara INFINITY by AMATIX modelo I-PLUS gracias a sus LEDS cristalinos de segunda generación, garantizan una vida útil increíblemente larga. Haciendo así de esta lámpara, la opción perfecta para profesionales que trabajan con un alto rendimiento.

AMATIX

MODELO

I-PLUS BATTERY



AMATIX

I-PLUS BATTERY

CARACTERÍSTICAS

- Input: 100V-240V 50/60Hz
- Output: DC12V 2A
- Rated power: Max 30W
- Led irradiance Power Equeivalent to 54W CCFL Lamp
- LED bulbs: 365nm+405nm 36pcs
- Timer: 10S,30S,60S,90S,120S (Low Heat)
- Certificate: FCC,CE, RoHS, UKCA
- Medidas:203x200X110mm
- Bateria de Litio de larga duración



AMATIX

CARACTERÍSTICAS



- La lámpara INFINITY by AMATIX modelo I-PLUS BATTER, dispone de una batería de litio de alta duración, que te permitirá trabajar sin cables hasta 11 horas de uso continuo.

AMATIX

MODELO

I-SKIN CARE



AMATIX

I-SKIN CARE

CARACTERÍSTICAS

- Input: 100V-240V 50/60Hz
- Output: DC12V 2A
- Rated power: Max 30W
- Led irradiance Power Equeivalent to 54W CCFL Lamp
- LED bulbs: 365nm+405nm24pcs+660nm12pcs 36pcs
- Timer: 10S,30S,60S,90S,120S (Low Heat)
- Certificate: FCC,CE, RoHS, UKCA
- Medidas:203x200X110mm
- Tratamiento luz LED ROJA



AMATIX

CARACTERÍSTICAS



- La lámpara INFINITY by AMATIX modelo -SKIN CARE, dispone de un tratamiento de luz LED ROJA que estimula la regeneración de colágeno natural de la piel.

AMATIX

I-TIP

Sin cables, con leds cristalinos de 2a Generación

